



# TOUGHMesh

- Submittals -

(Bulk Package)

6

5

4

3

2

1

F

F

E

E

D

D

C




C

B

B

A

A



**TMS - 4 X 12 X 10 - TG**

**SERIES**  
TMS = TOUGHMESH  
STRAIGHT SECTION

**NOMINAL HEIGHT (H)**  
2 = 2"  
4 = 4"  
6 = 6"

**NOMINAL WIDTH (W)**  
02 = 2"  
04 = 4"  
06 = 6"  
08 = 8"  
10 = 10"  
12 = 12"  
16 = 16"  
18 = 18"  
20 = 20"  
24 = 24"

**NOMINAL LENGTH**  
10 = 120"

**(\*) MATERIAL/ FINISH**  
EG = ELECTROPLATED ZINC  
PT = PAINTED FINISH  
S4 = STAINLESS STEEL 304  
TG = TOUGH GALVANIZED  
S6 = STAINLESS STEEL 316

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	<b>TITLE:</b> TOUGHMESH STRAIGHT SECTION TMS-(H)X(W)X10-(*)		
	<b>DRAWN BY/DATE:</b> LW 10NOV2023	<b>SIZE:</b> B	<b>DWG. NO.:</b> CTI-S31999
<b>APPROVED BY/DATE:</b>	<b>SCALE:</b> NTS	CAD FILE NAME: TMS-4X12X10_A CAD SAVE DATE: Friday, July 28, 2023 3:28:23 PM	<b>SHEET:</b> 1 OF 1

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A


A



ISOMETRIC VIEW



SECTION VIEW



TOP VIEW

TMF - 4 X 12 - 45HB - TG

SERIES  
TMF = TOUGHMESH  
FITTINGS

NOMINAL  
HEIGHT (H)  
2 = 2"  
4 = 4"  
6 = 6"

NOMINAL  
WIDTH (W)  
02 = 2"  
04 = 4"  
06 = 6"  
08 = 8"  
10 = 10"  
12 = 12"  
16 = 16"  
18 = 18"  
20 = 20"


TYPE  
45HB = 45°  
HORIZONTAL  
BEND

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED FINISH  
S4 = STAINLESS STEEL 304  
TG = TOUGH GALVANIZED  
S6 = STAINLESS STEEL 316

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH 45° HORIZONTAL BEND          TMF-(H)X(W)-45HB-(* )</b>		
	DRAWN BY/DATE: LW 29NOV2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S33999</b>
APPROVED BY/DATE: JDG 18JAN2023	SCALE: <b>NTS</b>	CAD FILE NAME: TMS-2X6X10_A CAD SAVE DATE: Wednesday, January 18, 2023 8:18:42 AM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A


A



ISOMETRIC VIEW



SECTION VIEW



TOP VIEW

TMF - 4 X 12 - 90HB - TG

SERIES  
TMF = TOUGHMESH  
FITTINGS

NOMINAL  
HEIGHT (H)  
2 = 2"  
4 = 4"  
6 = 6"

NOMINAL  
WIDTH (W)  
02 = 2"  
04 = 4"  
06 = 6"  
08 = 8"  
10 = 10"  
12 = 12"  
16 = 16"  
18 = 18"  
20 = 20"


TYPE  
90HB = 90°  
HORIZONTAL  
BEND

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED FINISH  
S4 = STAINLESS STEEL 304  
TG = TOUGH GALVANIZED  
S6 = STAINLESS STEEL 316

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.



TITLE:  
**TOUGHMESH 90° HORIZONTAL BEND**  
**TMF-(H)X(W)-90HB-(\* )**

DRAWN BY/DATE:  
LW 29NOV2023

SIZE: **B** DWG. NO.: **CTI-S32999** REV: **B**

APPROVED BY/DATE:  
JDG 18JAN2023

SCALE: **NTS** SHEET: **1 OF 1**  
CAD FILE NAME: TMS-2X6X10\_A  
CAD SAVE DATE: Wednesday, January 18, 2023 8:18:44 AM

6

5

4

3

2

1



6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A


A



118.11

ISOMETRIC VIEW

TMC SERIES STRAIGHT SECTION COVER



TOUGHMESH TRAY (NOT INCLUDED)

ISO INSTALLED VIEW


TMC - 24 X 10 - EG

SERIES  
TMC = TOUGHMESH STRAIGHT SECTION COVER

NOMINAL WIDTH (W)  
02 = 2"    12 = 12"  
04 = 4"    16 = 16"  
06 = 6"    18 = 18"  
08 = 8"    20 = 20"  
10 = 10"   24 = 24"

NOMINAL LENGTH  
10 = 120"

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316




NOMINAL WIDTH (W)

SECTION VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH STRAIGHT SECTION COVER TMC-(W)X10-(*)</b>		
	DRAWN BY/DATE: LW    28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S34999</b>
APPROVED BY/DATE: JDG    31JUL2023	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S34001_A01 CAD SAVE DATE: Friday, July 28, 2023 5:24:57 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4


3

2


1

SPLICE CHART (UL Classified)

TRAY SIZE H X W (in)	POSI-LOK SPLICE QTY TMA-PLOK-(*)
2X12	2
2X16	2
2X18	2
2X20	2
2X24	2
4X12	2
4X16	2
4X18	2
4X20	2
4X24	2
6X12	2
6X16	2
6X18	2
6X20	2
6X24	2



ISOMETRIC VIEW




ISO INSTALLED VIEW

**TMA - PLOK - EG**


SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
PLOK = POSI-LOK SPLICE

(\* ) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SECTION VIEW



SIDE VIEW

**NOTE(S):**  
 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.  
 2) ALL DIMENSIONS SHOWN ARE NOMINAL.  
 3) SPLICE PLATE USED FOR 2~6" HEIGHT & 12~24" WIDTH. REFER TO SPLICE CHART FOR FOR UL CLASSIFIED POSI-LOK SPLICE QUANTITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	<b>TITLE:</b> <b>TOUGHMESH POSI-LOK SPLICE          TMA-PLOK-(* )</b>		
	<b>DRAWN BY/DATE:</b> LW 28JUL2023	<b>SIZE:</b> <b>B</b>	<b>DWG. NO.:</b> <b>CTI-S37001</b>
<b>APPROVED BY/DATE:</b>	<b>SCALE:</b> <b>NTS</b>	CAD FILE NAME: TMA-PLOK_A CAD SAVE DATE: Tuesday, August 15, 2023 2:17:47 PM	<b>SHEET:</b> <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4


3

2


1

SPLICE CHART (UL CLASSIFIED)

TRAY SIZE H X W (IN)	POSI-LOK MINI SPLICE QTY TMA-PLOK-(*)
2X2	2
2X4	2
2X6	2
2X8	2
2X10	2
4X4	2
4X6	2
4X8	2
4X10	2
6X8	2
6X10	2



ISOMETRIC VIEW




ISO INSTALLED VIEW

**TMA - PLOKM - EG**


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
PLOKM = POSI-LOK  
MINI SPLICE

(\* ) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SECTION VIEW



SIDE VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SPLICE PLATE USED FOR 2~6" HEIGHT & 2~10" WIDTH. REFER TO SPLICE CHART FOR UL CLASSIFIED POSI-LOK MINI SPLICE QUANTITY.
- 4) SOLD IN PAIRS.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH POSI-LOK MINI SPLICE TMA-PLOKM-(* )</b>		
	DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37002</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37002_B CAD SAVE DATE: Tuesday, August 15, 2023 2:21:09 PM	SHEET: <b>1 OF 1</b>

6

5


4

3


2

1



SPLICE CHART (UL Classified)		
TRAY SIZE H X W (in)	WASHER SPLICE KIT QTY	
	SIDERAIL	BOTTOM
2X2	2	0
2X4	2	0
2X6	2	0
2X8	2	1
2X10	2	1
2X12	2	1
2X16	2	2
2X18	2	2
2X20	2	2
2X24	2	2
4X4	2	2
4X6	2	2
4X8	2	3
4X10	2	3
4X12	2	4
4X16	2	4
4X18	2	4
4X20	2	5
4X24	2	5
6X8	4	2
6X10	4	2
6X12	4	3
6X16	4	3
6X18	4	3
6X20	4	4
6X24	4	4




ISOMETRIC VIEW



ISO INSTALLED VIEW



SECTION VIEW



SIDE VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SPLICE PLATE USED FOR 2~6" HEIGHT & 2~24" WIDTH. REFER TO SPLICE CHART FOR UL CLASSIFIED WASHER SPLICE KIT QUANTITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH WASHER SPLICE KIT TMA-WSKIT-(* )</b>			
	DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37003</b>	REV: <b>B</b>
	APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-WSKIT_A CAD SAVE DATE: Tuesday, August 15, 2023 2:01:55 PM	SHEET: <b>1 OF 1</b>



6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A

A




ISOMETRIC VIEW

TMA - HDKIT - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
HDKIT = HOLD  
DOWN KIT


(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



ISO INSTALLED VIEW



SECTION VIEW




SIDE VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) USED TO SECURE EXPANSION SPLICE AND SPLICE BAR TO THE BASKET TRAY SIDERAIL. REFER TO SPLICE CHART TABLE IN DRAWING CTI-S37006, CTI-S37007 & CTI-S37008 FOR QUANTITY REQUIRED.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH HOLD DOWN KIT TMA-HDKIT-(* )</b>			
	DRAWN BY/DATE: LW 27JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37004</b>	REV: <b>B</b>
	APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37004_B CAD SAVE DATE: Tuesday, August 15, 2023 2:03:10 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4


3

2


1

SPLICE CHART


TRAY SIZE H X W (in)	SPLICE BAR KIT QTY TMA-SBKIT-(* )	WASHER SPLICE KIT QTY TMA-WSKIT-(* )
2X2	2	0
2X4	2	0
2X6	2	0
2X8	2	0
2X10	2	1
2X12	2	1
2X16	2	1
2X18	2	2
2X20	2	2
2X24	2	2
4X4	2	0
4X6	2	0
4X8	2	0
4X10	2	1
4X12	2	1
4X16	2	1
4X18	2	2
4X20	2	2
4X24	2	2
6X8	2	0
6X10	2	1
6X12	2	1
6X16	2	1
6X18	2	2
6X20	2	2
6X24	2	2




ISOMETRIC VIEW



ISO INSTALLED VIEW



HARDWARE INCLUDED: 4EA TMA-HDKIT-(\* )



SIDE VIEW

**TMA - SBKIT - EG**

SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
SBKIT = SPLICE  
BAR KIT

(\* ) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

NOTE(S):

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SPLICE BAR KIT USED FOR 2~6" HEIGHT & 2~24" WIDTH.
- 4) SUPPLIED PER PIECE COMPLETE W/ 4 PCS HOLD DOWN HARDWARE KIT "TMA-HDKIT-(\* )".
- 5) ADDITIONAL WASHER SPLICE KIT "TMA-WSKIT-(\* )" IS REQUIRED AND TO BE ORDERED SEPARATELY. REFER TO SPLICE CHART FOR THE REQUIRED QUANTITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH SPLICE BAR KIT TMA-SBKIT-(* )</b>		
	DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37005</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-SBKIT_A CAD SAVE DATE: Tuesday, August 15, 2023 2:20:20 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B


A

A




ISOMETRIC VIEW

SPLICE BAR KIT  
TMA-EXSBKIT-(\*)



TMS SERIES TRAY  
(NOT INCLUDED)

ISO INSTALLED VIEW




HARDWARE INCLUDED: 4EA TMA-HDKIT-(\*)

**TMA - EXSBKIT - EG**

SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
EXSBKIT= EXPANSION SPLICE BAR KIT

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SIDE VIEW

- NOTE(S):**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 3) EXPANSION SPLICE BAR USED FOR 2~6" HEIGHT & 2~24" WIDTH TO ACCOUNT THERMAL EXPANSION/CONTRACTION.
  - 4) SUPPLIED PER PIECE WITHOUT HARDWARE.
  - 5) 4 PCS HOLD DOWN KIT "TMA-HDKIT-(\*)" TO BE ORDERED SEPARATELY.
  - 6) REFER TO NEMA VE-2 SECTION 3.4.2 FOR INSTALLATION REQUIREMENTS.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>				
	<b>TITLE:</b> <b>TOUGHMESH EXPANSION SPLICE BAR KIT</b> <b>TMA-EXSBKIT-(*)</b>			
	<b>DRAWN BY/DATE:</b> LW 27JUL2023	<b>SIZE:</b> <b>B</b>	<b>DWG. NO.:</b> <b>CTI-S37006</b>	<b>REV:</b> <b>B</b>
	<b>APPROVED BY/DATE:</b>	<b>SCALE:</b> <b>NTS</b>	<small>CAD FILE NAME: CTI-S37006_B</small> <small>CAD SAVE DATE: Tuesday, August 15, 2023 2:19:38 PM</small>	<b>SHEET:</b> <b>1 OF 1</b>

6

5


4

3

2

1


TRAY WIDTH (in)	CORNER KIT QTY (PAIR) TMA-FLXW-(H)-(*)		WASHER SPLICE KIT QTY TMA-WSKIT-(*)	
	HORZ. TEE	HORZ. CROSS	HORZ. TEE	HORZ. CROSS
4	1	2	1	2
6	1	2	2	4
8	1	2	2	4
10	1	2	2	4
12	1	2	2	4
16	1	2	2	4
18	1	2	2	4
20	1	2	2	4
24	1	2	2	4




ISOMETRIC VIEW

**TMA - CRADKIT - 04 - EG**

SERIES: TMA = TOUGHMESH ACCESSORIES  
 TYPE: CRADKIT = CORNER RADIUS KIT  
 (H) NOMINAL HEIGHT: 02 = 2", 04 = 4", 06 = 6"  
 (\*) MATERIAL/ FINISH: EG = ELECTROPLATED ZINC, PT = PAINTED, HD = HOT-DIPPED GALVANIZED, S4 = STAINLESS STEEL 304, S6 = STAINLESS STEEL 316



ISO INSTALLED VIEW



TOP VIEW

- NOTE(S):**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 3) SUPPLIED IN PAIRS WITH 8PCS HOLD DOWN HARDWARE KIT "TMA-HDKIT-(\*)".
  - 4) CORNER RADIUS KIT FOR HORIZONTAL TEE AND HORIZONTAL CROSS.
  - 5) ADDITIONAL WASHER SPLICE KIT "TMA-WSKIT-(\*)" TO BE ORDERED SEPARATELY. REFER TO TABLE FOR QUANTITY REQUIRED.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
		<b>TITLE:</b> <b>TOUGHMESH CORNER RADIUS KIT          TMA-CRADKIT-(H)-(*)</b>	
<b>DRAWN BY/DATE:</b> LW 01DEC2023	<b>SIZE:</b> <b>B</b>	<b>DWG. NO.:</b> <b>CTI-S37998</b>	<b>REV:</b> <b>A</b>
<b>APPROVED BY/DATE:</b> JDG 04DEC2023	<b>SCALE:</b> <b>NTS</b>	<small>CAD FILE NAME: CTI-S37998_A          CAD SAVE DATE: Friday, December 1, 2023 9:55:20 PM</small>	<b>SHEET:</b> <b>1 OF 1</b>



6


5

4

3


2

1



ISOMETRIC VIEW

TMS SERIES TRAY  
(NOT INCLUDED)



ISO INSTALLED VIEW

TMA - CSBKIT - EG

SERIES  
TMA = TOUGHMESH  
ACCESSORIES


TYPE  
CSBKIT =  
TEE/CORNER KIT

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SPLICE BAR KIT USED FOR 2~6" HEIGHT & 2~8" WIDTH.
- 4) SUPPLIED IN PAIRS COMPLETE W/ 4 PCS HOLD DOWN HARDWARE KIT "TMA-HDKIT-(\*).".

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH TEE/CORNER KIT TMA-CSBKIT-(*).</b>		
	DRAWN BY/DATE: VA 10NOV2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37033</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-EX5B_A CAD SAVE DATE: Tuesday, August 22, 2023 5:20:18 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6



5

4


3

2


1



ISOMETRIC VIEW



ISO ASSEMBLY VIEW



TOP VIEW

**TMA - WLKIT - EG**


SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
WLKIT = WALL KIT

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

**NOTE(S):**  
 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.  
 2) ALL DIMENSIONS SHOWN ARE NOMINAL.  
 3) USED TO SECURE BASKET TRAY TO THE SUPPORT.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH WALL KIT TMA-WLKIT-(* )</b>		
	DRAWN BY/DATE: DL 22FEB2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37039</b>
APPROVED BY/DATE: JDG 23FEB2024	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37039_B CAD SAVE DATE: Thursday, February 22, 2024 3:38:53 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4


3

2


1

SPLICE CHART

TRAY SIZE H X W (in)	STANDARD SPLICE BAR QTY TMA-STSB-(*)	HOLD DOWN KIT QTY TMA-HDKIT-(*)	WASHER SPLICE KIT QTY TMA-WSKIT-(*)
2X2	2	6	0
2X4	2	6	1
2X6	2	6	1
2X8	2	6	1
2X10	2	6	1
2X12	2	6	1
2X16	2	6	2
2X18	2	6	2
2X20	2	6	2
2X24	2	6	2
4X4	2	6	2
4X6	2	6	2
4X8	2	6	3
4X10	2	6	3
4X12	2	6	4
4X16	2	6	4
4X18	2	6	4
4X20	2	6	5
4X24	2	6	5
6X8	2	6	2
6X10	2	6	2
6X12	2	6	3
6X16	2	6	3
6X18	2	6	3
6X20	2	6	4
6X24	2	6	4



ISOMETRIC VIEW




ISO INSTALLED VIEW

**TMA - STSB - EG**

SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
STSB = STANDARD  
SPLICE BAR

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SIDE VIEW

NOTE(S):

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) STANDARD SPLICE BAR USED FOR 2~6" HEIGHT & 2~24" WIDTH.
- 4) SUPPLIED PER PIECE WITHOUT HARDWARE.
- 5) HOLD DOWN KIT "TMA-HDKIT-(\*)" AND WASHER SPLICE KIT "TMA-WSKIT-(\*)" TO BE ORDERED SEPARATELY. REFER TO SPLICE CHART FOR THE REQUIRED QUANTITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH STANDARD SPLICE BAR TMA-STSB-(*)</b>		
	DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37007</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-STSB_A CAD SAVE DATE: Tuesday, August 15, 2023 2:19:08 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A


A



ISOMETRIC VIEW



ISO INSTALLED VIEW



TOP VIEW

**TMA - FLXW - EG**

SERIES  
TMA = TOUGHMESH  
ACCESSORIES


TYPE  
FLXW = FLAT  
CROSS WASHER

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) USED TO SECURE BASKET TRAY TO THE SUPPORT.
- 4) 1/4 HARDWARE TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH FLAT CROSS WASHER TMA-FLXW-(*)</b>		
	DRAWN BY/DATE: LW 27JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37009</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37009_B CAD SAVE DATE: Tuesday, August 15, 2023 2:10:36 PM	SHEET: <b>1 OF 1</b>

6

5

4


3

2


1




TRAY WIDTH (in)	LENGTH (in)
4	10
6	12
8	14
10	16
12	18
16	22
18	24
20	26
24	30





ISOMETRIC VIEW




CENTER SUPPORT ASSEMBLY



TRAPEZE SUPPORT ASSEMBLY




FRONT VIEW



SECTION A-A

- NOTE(S):**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 4) SUPPLIED PER PIECE WITHOUT HARDWARE.
  - 3) 3/8 HEX NUT AND ALL THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>		TITLE: <b>TOUGHMESH UNIVERSAL RAPID HANGER TMA-URH-(W)-(*)</b>	
DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37999</b>	REV: <b>B</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37013_A CAD SAVE DATE: Friday, December 1, 2023 9:52:59 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A



A




ISOMETRIC VIEW



ISO INSTALLED VIEW



SECTION VIEW



SIDE VIEW

**NOTE(S):**  
 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.  
 2) ALL DIMENSIONS SHOWN ARE NOMINAL.  
 3) COMPATIBLE WITH 2" TRAY WIDTH ONLY.  
 4) 1/4 HEX NUT AND THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH 2" SUSPENSION CLIP          TMA-2SC-(* )</b>			
	DRAWN BY/DATE: DL 26JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37018</b>	REV: <b>B</b>
	APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37018_A CAD SAVE DATE: Tuesday, August 15, 2023 2:48:59 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A



A



ISOMETRIC VIEW



ISO INSTALLED VIEW




FRONT VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) COMPATIBLE WITH 4" TRAY WIDTH ONLY.
- 4) SUPPLIED PER PIECE.
- 5) 1/4 HEX NUT AND THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH 4" SUSPENSION CLIP TMA-4SC-(* )</b>		
	DRAWN BY/DATE: DL 26JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37017</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37017_A CAD SAVE DATE: Tuesday, August 15, 2023 11:17:37 AM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A

A




ISOMETRIC VIEW

TMA - LICH - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
LICH = LAY-IN  
CABLE HANGER


(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



ISO INSTALLED VIEW



SIDE VIEW



SECTION VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) UNIVERSAL SUSPENSION CLIP IS USED FOR 2" HEIGHT & 2~6" WIDTH WIREBASKET TRAY.
- 4) SUPPLIED PER PIECE WITHOUT HARDWARE.
- 5) 1/4 HEX NUT AND THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH LAY-IN CABLE HANGER TMA-LICH-(* )</b>		
	DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37016</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37016_B CAD SAVE DATE: Friday, July 28, 2023 8:21:09 AM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1



6


5

4

3

2

1




ISOMETRIC VIEW

1/4 HEX NUT  
TA25NHX  
(NOT INCLUDED)

UNIVERSAL  
SUSPENSION CLIP  
TMA-USC-(\* )

1/4 THREADED ROD  
TA25ATR  
(NOT INCLUDED)

TMS SERIES TRAY  
(NOT INCLUDED)




ISO INSTALLED VIEW

**TMA - USC - EG**


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
USC = SUSPENSION CLIP  
(UNIVERSAL)

(\* ) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SIDE VIEW




SECTION VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) UNIVERSAL SUSPENSION CLIP IS USED FOR 2~6" HEIGHT & 2~12" WIDTH WIREBASKET TRAY.
- 4) 1/4 HARDWARE AND THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>		TITLE: <b>TOUGHMESH UNIVERSAL SUSPENSION CLIP TMA-USC-(* )</b>		
		DRAWN BY/DATE: LW 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37015</b>
APPROVED BY/DATE:		SCALE: <b>NTS</b>	CAD FILE NAME: TMA-USC_A CAD SAVE DATE: Tuesday, August 15, 2023 2:47:29 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5





4

3

2

1

TABLE 1		
TRAY WIDTH (in)	HOLD DOWN KIT QTY TMA-HDKIT-(*))	LENGTH (in)
4	1	5.12
6	2	7.09
8	2	9.06
10	2	11.02
12	2	12.99
16	2	16.93
20	2	20.87
24	2	24.80



**TMA - LBRKT - 12 - EG**

SERIES TMA = TOUGHMESH ACCESSORIES

TYPE LBRKT = L BRACKET

(W) NOMINAL WIDTH  
 04 = 4"  
 06 = 6"  
 08 = 8"  
 10 = 10"  
 12 = 12"  
 16 = 16"  
 20 = 20"  
 24 = 24"

(\*)) MATERIAL/ FINISH  
 EG = ELECTROPLATED ZINC  
 PT = PAINTED  
 HD = HOT-DIPPED GALVANIZED  
 S4 = STAINLESS STEEL 304  
 S6 = STAINLESS STEEL 316

**NOTE(S):**


1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.

2) ALL DIMENSIONS SHOWN ARE NOMINAL.

3) SUPPLIED PER PIECE WITHOUT HARDWARE.

4) HOLD DOWN KIT "TMA-HDKIT-(\*))" TO BE ORDERED SEPARATELY. REFER TO TABLE 1 FOR THE REQUIRED QUANTITY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.



**TOUGHMESH L BRACKET TMA-LBRKT-(W)-(\*))**

DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37997</b>	REV: <b>A</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37997_A CAD SAVE DATE: Friday, December 1, 2023 10:06:23 PM	SHEET: <b>1 OF 1</b>

6

5


4

3


2

1



TRAY WIDTH (in)	LENGTH (in)
4	10
6	12
8	14
10	16
12	18
16	22
20	26
24	30




ISOMETRIC VIEW



ISO INSTALLED VIEW



SIDE VIEW




FRONT VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH STRUT WALL BRACKET TMA-SWB-W-(*)</b>		
	DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37994</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37024_A CAD SAVE DATE: Friday, December 1, 2023 10:24:00 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

F

F

E

E

D

D

C





C

B

B

A

A



**TMA - SRC - EG**

SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
SRC = STRUT RETENTION CLIP

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

**NOTE(S):**

1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.

2) ALL DIMENSIONS SHOWN ARE NOMINAL.

3) STRUT RETENTION CLIP IS USED FOR 2~6" HEIGHT & 4~24" WIDTH WIREBASKET TRAY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	<b>TITLE:</b> <b>TOUGHMESH STRUT RETENTION CLIP</b> <b>TMA-SRC-(*)</b>		
	<b>DRAWN BY/DATE:</b> LW 28JUL2023	<b>SIZE:</b> <b>B</b>	<b>DWG. NO.:</b> <b>CTI-S37029</b>
	<b>APPROVED BY/DATE:</b>	<b>SCALE:</b> <b>NTS</b>	<b>REV:</b> <b>B</b>
		<b>CAD FILE NAME:</b> CTI-S37029_B <b>CAD SAVE DATE:</b> Tuesday, August 15, 2023 2:51:56 PM	<b>SHEET:</b> <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A


A



ISOMETRIC VIEW



SECTION VIEW



SIDE VIEW


TMA - FCLP - EG

<p>SERIES TMA = TOUGHMESH ACCESSORIES</p>	<p>TYPE FCLP = FLOOR CLIP</p>	<p>(*) MATERIAL/ FINISH EG = ELECTROPLATED ZINC PT = PAINTED HD = HOT-DIPPED GALVANIZED S4 = STAINLESS STEEL 304 S6 = STAINLESS STEEL 316</p>
---	-----------------------------------	---

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	<b>TITLE:</b> <b>TOUGHMESH FLOOR CLIP</b> <b>TMA-FCLP-(* )</b>		
DRAWN BY/DATE: VA 10NOV2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37035</b>	REV: <b>A</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-FCLIP_A CAD SAVE DATE: Tuesday, August 22, 2023 5:22:28 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1



6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B


A

A



ISOMETRIC VIEW

TMS SERIES TRAY  
(NOT INCLUDED)



ACCESSORY  
MOUNTING CLIP  
TMA-AMC-(\*)


ISO INSTALLED VIEW

**TMA - AMC - EG**


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
AMC = ACCESSORY  
MOUNTING CLIP

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SECTION VIEW



SIDE VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) DESIGNED FOR VARIOUS SIDE MOUNTED ACCESSORIES.
- 4) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH ACCESSORY MOUNTING CLIP TMA-AMC-(*)</b>		
	DRAWN BY/DATE: LW 26JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37028</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37028_B CAD SAVE DATE: Monday, August 14, 2023 2:12:24 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A


A




ISOMETRIC VIEW



ISO INSTALLED VIEW



SECTION A-A



TOP VIEW

**TMA - VWS - EG**


SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
VWSB = VERTICAL WALL STANDARD

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

**NOTE(S):**  
 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.  
 2) ALL DIMENSIONS SHOWN ARE NOMINAL.  
 3) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>TOUGHMESH VERTICAL WALL STANDARD          TMA-VWS-(*)</b>		
	DRAWN BY/DATE: DL 28JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37021</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-VWSB_A CAD SAVE DATE: Tuesday, August 15, 2023 11:20:55 AM	SHEET: <b>1 OF 1</b>

6

5


4

3


2

1


TRAY WIDTH (in)	LENGTH (in)
4	5.82
6	7.82
8	9.82
10	11.82
12	13.82
16	17.82
20	21.82
24	25.82




ISOMETRIC VIEW



ISO INSTALLED VIEW



TOP VIEW



SIDE VIEW


**TMA - VWSB - 12 - EG**

<p>SERIES TMA = TOUGHMESH ACCESSORIES</p>	<p>TYPE VWSB = VERTICAL WALL STANDARD BRACKET</p>	<p>(W) NOMINAL WIDTH 04 = 4" 06 = 6" 08 = 8" 10 = 10" 12 = 12" 16 = 16" 20 = 20" 24 = 24"</p>	<p>(*) MATERIAL/ FINISH EG = ELECTROPLATED ZINC PT = PAINTED HD = HOT-DIPPED GALVANIZED S4 = STAINLESS STEEL 304 S6 = STAINLESS STEEL 316</p>
---	---	---	---

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>VERTICAL WALL STANDARD BRACKET TMA-VWSB-(W)-(*)</b>		
	DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37995</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37022_A CAD SAVE DATE: Friday, December 1, 2023 10:21:23 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

F

F

E

E

D

D

C

C


B

B

A


A

TMS SERIES TRAY  
(NOT INCLUDED)




FIXED FLOOR SUPPORT  
TMA-FFS-(\*)


ISO INSTALLED VIEW




ISOMETRIC VIEW



TOP VIEW



SIDE VIEW



FRONT VIEW

**TMA - FFS - EG**

SERIES  
TMA = TOUGHMESH  
ACCESSORIES


TYPE  
FFS = FIXED FLOOR  
SUPPORT

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
HD = HOT-DIPPED GALVANIZED

**NOTE(S):**

1) DESIGNED FOR BASKET TRAY FLOOR SUPPORT MOUNT.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TMA-FFS-(*) TOUGHMESH FIXED FLOOR SUPPORT</b>		
	DRAWN BY/DATE: DL 03OCT2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37038</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37038_A CAD SAVE DATE: Wednesday, October 4, 2023 10:57:33 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A

A



ISO INSTALLED VIEW




ISOMETRIC VIEW

TMA - ADJS - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
ADJS =  
ADJUSTABLE  
FLOOR STAND

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
HD = HOT-DIPPED GALVANIZED



SIDE VIEW




FRONT VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>		TITLE: <b>TOUGHMESH ADJUSTABLE FLOOR STAND TMA-ADJS-(*)</b>		
		DRAWN BY/DATE: DL 26JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37030</b>
APPROVED BY/DATE:		SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37030_B CAD SAVE DATE: Tuesday, August 22, 2023 5:10:06 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1



6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A

A



ISOMETRIC VIEW




ISO INSTALLED VIEW

TMA - HDCB - EG

SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
HDCB = HD CEILING BRACKET

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304



FRONT VIEW

- NOTE(S):**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 3) SUPPLIED PER PIECE WITHOUT HARDWARE.
  - 4) 3/8 HEX NUT AND THREADED ROD TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>HD CEILING BRACKET TMA-HDCB-(* )</b>			
	DRAWN BY/DATE: VA 29AUG2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37014</b>	REV: <b>B</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: CTI-S37014_A CAD SAVE DATE: Tuesday, August 29, 2023 11:55:13 AM	SHEET: <b>1 OF 1</b>	

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A



A




ISOMETRIC VIEW



ISO INSTALLED VIEW



SECTION VIEW



TOP VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SUPPLIED PER PIECE WITHOUT HOLD DOWN KIT/HARDWARE.
- 4) 4EA HOLD DOWN KIT "TMA-HDKIT-(\*)" TO BE ORDERED SEPARATELY.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

<p><b>CT INNOVATIONS</b></p>	<p><b>TITLE:</b></p> <p><b>TOUGHMESH CABLE BRIDGE TMA-CBRG-(*)</b></p>		
<p>DRAWN BY/DATE: DL 26JUL2023</p>	<p>SIZE: <b>B</b></p>	<p>DWG. NO.: <b>CTI-S37026</b></p>	<p>REV: <b>B</b></p>
<p>APPROVED BY/DATE:</p>	<p>SCALE: <b>NTS</b></p>	<p>CAD FILE NAME: TMA-CBRG_A CAD SAVE DATE: Wednesday, July 26, 2023 5:56:27 PM</p>	<p>SHEET: <b>1 OF 1</b></p>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B

A

A



ISOMETRIC VIEW

TMA - CBAR - 2 - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
CBAR = CABLE  
BARRIER

(H) NOMINAL  
HEIGHT  
2 = 2"  
4 = 4"  
6 = 6"


(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316

CABLE BARRIER  
TMA-CBAR-(H)-(\*)




TMS SERIES TRAY  
(NOT INCLUDED)

ISO INSTALLED VIEW



SECTION VIEW




SIDE VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CABLE BARRIER IS USED FOR 2~6" HEIGHT & 2~24" WIDTH WIREBASKET TRAY.
- 4) SUPPLIED PER PIECE WITH HOLD DOWN HARDWARE KIT "TMA-HDKIT-(\*).

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH CABLE BARRIER TMA-CBAR-(H)-(*)</b>		
	DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37993</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-CBAR-(H)_A CAD SAVE DATE: Friday, December 1, 2023 10:26:07 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B


B

A

A



ISOMETRIC VIEW




ISO INSTALLED VIEW

**TMA - FSP - EG**

SERIES  
TMA = TOUGHMESH ACCESSORIES

TYPE  
FSP = LIGHTING FIXTURE SUPPORT PLATE


(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TMA-FSP-(*)          TOUGHMESH LIGHTING FIXTURE SUPPORT          PLATE</b>		
	DRAWN BY/DATE: DL 10NOV2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37036</b>
APPROVED BY/DATE: JDG 10AUG2023	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-LFSP_A CAD SAVE DATE: Friday, November 10, 2023 11:24:03 AM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5

4

3

2

1

F

F

E

E

D

D

C

C


B

B

A


A

TMS SERIES TRAY  
(NOT INCLUDED)



BOX CONNECTOR  
TMA-BXCN-(\*)

ISO INSTALLED VIEW




ISOMETRIC VIEW

TMA - BXCN - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
BXCN = BOX  
CONNECTOR

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



TOP VIEW




SIDE VIEW



FRONT VIEW

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.



TITLE:  
**TOUGHMESH ACCESSORY BOX CONNECTOR  
TMA-BXCN-(\*)**

**NOTE(S):**

1) DESIGNED FOR ELECTRIC BOX INSTALLATION TO BASKET TRAY.

DRAWN BY/DATE:  
DL 26JUL2023  
APPROVED BY/DATE:

SIZE:  
**B**  
SCALE:  
**NTS**

DWG. NO.:  
**CTI-S37031**  
CAD FILE NAME: CTI-S37031\_B  
CAD SAVE DATE: Tuesday, August 15, 2023 2:58:13 PM

REV: **B**  
SHEET:  
**1 OF 1**

6

5

4

3

2

1

6


5

4


3

2


1



ISOMETRIC VIEW



SIDE VIEW



FRONT VIEW

TMA - JHOOK - 100 - EG

SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
JHOOK = J HOOK


W  
100 = 1.0"  
125 = 1.25"  
150 = 1.5"  
200 = 2.0"  
400 = 4.0"

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
HD = HOT-DIPPED GALVANIZED  
PT = PAINTED

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TMA-JHOOK-(W)-(*)          J HOOK TYPE CABLE SUPPORT</b>		
	DRAWN BY/DATE: LW 01DEC2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37992</b>
APPROVED BY/DATE: JDG 04DEC2023	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-JHOOK_A CAD SAVE DATE: Friday, December 1, 2023 10:42:08 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1



6

5

4

3

2


1

PART NO.

DESCRIPTION

TMA-GRND

GROUND BOLT



PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.



TITLE:  
**TMA-GRND  
GROUND BOLT**

DRAWN BY/DATE:  
LW 10FEB2023

SIZE: **B** DWG. NO.: **CTI-S37010** REV: **A**

APPROVED BY/DATE:

SCALE: **NTS** CAD FILE NAME: TA38NHX\_A  
CAD SAVE DATE: Tuesday, August 15, 2023 12:51:29 PM SHEET: **1 OF 1**

6

5

4

3

2

1

F

F

E

E

D

D

C

C

B

B

A

A

6

5

4

3

2

1

F

F

E

E

D

D

C


C

B

B


A

A



ISOMETRIC VIEW

TMS SERIES TRAY  
(NOT INCLUDED)



CABLE DROP OUT  
TMA-CBLD-(\*)


ISO INSTALLED VIEW

TMA - CBLD - EG


SERIES  
TMA = TOUGHMESH  
ACCESSORIES

TYPE  
CBLD = CABLE  
DROP OUT

(\*) MATERIAL/ FINISH  
EG = ELECTROPLATED ZINC  
PT = PAINTED  
HD = HOT-DIPPED GALVANIZED  
S4 = STAINLESS STEEL 304  
S6 = STAINLESS STEEL 316



SIDE VIEW




TOP VIEW

**NOTE(S):**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CABLE DROP OUT IS USED FOR 2~6" HEIGHT & 4~24" WIDTH WIREBASKET TRAY.
- 4) SUPPLIED PER PIECE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

 <b>CT INNOVATIONS</b>	TITLE: <b>TOUGHMESH CABLE DROP OUT TMA-CBLD-(*)</b>		
	DRAWN BY/DATE: DL 26JUL2023	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S37027</b>
APPROVED BY/DATE:	SCALE: <b>NTS</b>	CAD FILE NAME: TMA-WSKIT-04_A CAD SAVE DATE: Wednesday, July 26, 2023 5:48:05 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1