




# TOUGHTray

- Submittals -



(HBs Bulk Package)

**HARDWARE INCLUDED:**

-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-6X06-30HB12-AL	6	6	30°	12		
TTF-6X09-30HB12-AL	6	9	30°			
TTF-6X12-30HB12-AL	6	12	30°			
TTF-6X18-30HB12-AL	6	18	30°			
TTF-6X24-30HB12-AL	6	24	30°			
TTF-6X30-30HB12-AL	6	30	30°			
TTF-6X36-30HB12-AL	6	36	30°			
TTF-6X06-30HB24-AL	6	6	30°	24		
TTF-6X09-30HB24-AL	6	9	30°			
TTF-6X12-30HB24-AL	6	12	30°			
TTF-6X18-30HB24-AL	6	18	30°			
TTF-6X24-30HB24-AL	6	24	30°			
TTF-6X30-30HB24-AL	6	30	30°			
TTF-6X36-30HB24-AL	6	36	30°			
TTF-6X06-30HB36-AL	6	6	30°	36		
TTF-6X09-30HB36-AL	6	9	30°			
TTF-6X12-30HB36-AL	6	12	30°			
TTF-6X18-30HB36-AL	6	18	30°			
TTF-6X24-30HB36-AL	6	24	30°			
TTF-6X30-30HB36-AL	6	30	30°			
TTF-6X36-30HB36-AL	6	36	30°			




SECTION VIEW



**PATENT PENDING**


**NOTES:**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.			
 <b>CT INNOVATIONS</b>		TITLE: <b>6" HEIGHT TTF SERIES 30° HORIZONTAL BEND 12", 24" &amp; 36" RADIUS</b>	
DRAWN BY/DATE: LW 14MAY2024		SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46992</b>
APPROVED BY/DATE: JDG 28APR2023		SCALE: <b>NTS</b>	REV: <b>C</b> SHEET: <b>1 OF 1</b>
		CAD FILE NAME: 30deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 5:40:12 PM	

**HARDWARE INCLUDED:**


-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-6X06-45HB12-AL	6	6	45°	12		
TTF-6X09-45HB12-AL	6	9	45°			
TTF-6X12-45HB12-AL	6	12	45°			
TTF-6X18-45HB12-AL	6	18	45°			
TTF-6X24-45HB12-AL	6	24	45°			
TTF-6X30-45HB12-AL	6	30	45°			
TTF-6X36-45HB12-AL	6	36	45°			
TTF-6X06-45HB24-AL	6	6	45°	24		
TTF-6X09-45HB24-AL	6	9	45°			
TTF-6X12-45HB24-AL	6	12	45°			
TTF-6X18-45HB24-AL	6	18	45°			
TTF-6X24-45HB24-AL	6	24	45°			
TTF-6X30-45HB24-AL	6	30	45°			
TTF-6X36-45HB24-AL	6	36	45°			
TTF-6X06-45HB36-AL	6	6	45°	36		
TTF-6X09-45HB36-AL	6	9	45°			
TTF-6X12-45HB36-AL	6	12	45°			
TTF-6X18-45HB36-AL	6	18	45°			
TTF-6X24-45HB36-AL	6	24	45°			
TTF-6X30-45HB36-AL	6	30	45°			
TTF-6X36-45HB36-AL	6	36	45°			

**TTF - 6 X 06 - 45 HB 12 - AL**

SERIES TTF = TOUGHTray FITTING	NOMINAL HEIGHT (H) 6 = 6"	NOMINAL WIDTH (W) 06 = 6" 09 = 9" 12 = 12" 18 = 18" 24 = 24" 30 = 30" 36 = 36"	ANGLE 45 = 45°	TYPE HB = HORIZONTAL BEND	RADIUS (R) 12 = 12" 24 = 24" 36 = 36"	MATERIAL AL = ALUMINUM
--------------------------------------	---------------------------------	--	-------------------	------------------------------------	--	------------------------------




SECTION VIEW



**PATENT PENDING**


**NOTES:**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
 <b>CT INNOVATIONS</b>		<b>TITLE:</b>  <b>6" HEIGHT TTF SERIES 45° HORIZONTAL BEND 12", 24" &amp; 36" RADIUS</b>	
DRAWN BY/DATE: LW 14MAY2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46993</b>	REV: <b>C</b>
APPROVED BY/DATE: JDG 28APR2023	SCALE: <b>NTS</b>	CAD FILE NAME: 45deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 4:38:24 PM	SHEET: <b>1 OF 1</b>


**HARDWARE INCLUDED:**

-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



**TTF - 6 X 06 - 60 HB 12 - AL**

SERIES TTF = TOUGHTray FITTING	NOMINAL HEIGHT (H) 6 = 6"	NOMINAL WIDTH (W) 06 = 6" 09 = 9" 12 = 12" 18 = 18" 24 = 24" 30 = 30" 36 = 36"	ANGLE 60 = 60°	TYPE HB = HORIZONTAL BEND	RADIUS (R) 12 = 12" 24 = 24" 36 = 36"	MATERIAL AL = ALUMINUM
--------------------------------------	---------------------------------	--	-------------------	------------------------------------	--	------------------------------




SECTION VIEW

PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-6X06-60HB12-AL	6	6	60°	12		
TTF-6X09-60HB12-AL	6	9	60°			
TTF-6X12-60HB12-AL	6	12	60°			
TTF-6X18-60HB12-AL	6	18	60°			
TTF-6X24-60HB12-AL	6	24	60°			
TTF-6X30-60HB12-AL	6	30	60°			
TTF-6X36-60HB12-AL	6	36	60°			
TTF-6X06-60HB24-AL	6	6	60°	24		
TTF-6X09-60HB24-AL	6	9	60°			
TTF-6X12-60HB24-AL	6	12	60°			
TTF-6X18-60HB24-AL	6	18	60°			
TTF-6X24-60HB24-AL	6	24	60°			
TTF-6X30-60HB24-AL	6	30	60°			
TTF-6X36-60HB24-AL	6	36	60°			
TTF-6X06-60HB36-AL	6	6	60°	36		
TTF-6X09-60HB36-AL	6	9	60°			
TTF-6X12-60HB36-AL	6	12	60°			
TTF-6X18-60HB36-AL	6	18	60°			
TTF-6X24-60HB36-AL	6	24	60°			
TTF-6X30-60HB36-AL	6	30	60°			
TTF-6X36-60HB36-AL	6	36	60°			

**NOTES:**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

**PATENT PENDING**

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
 <b>CT INNOVATIONS</b>		<b>TITLE:</b>  <b>6" HEIGHT TTF SERIES 60° HORIZONTAL BEND 12", 24" &amp; 36" RADIUS</b>	
DRAWN BY/DATE: LW 14MAY2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46994</b>	REV: <b>C</b>
APPROVED BY/DATE: JDG 28APR2023	SCALE: <b>NTS</b>	CAD FILE NAME: 30deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 5:36:19 PM	SHEET: <b>1 OF 1</b>

6

5

4

3


2

1


**HARDWARE INCLUDED:**

 - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT

 - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-6X06-90HB12-AL	6	6	90°	12		
TTF-6X09-90HB12-AL	6	9	90°			
TTF-6X12-90HB12-AL	6	12	90°			
TTF-6X18-90HB12-AL	6	18	90°			
TTF-6X24-90HB12-AL	6	24	90°			
TTF-6X30-90HB12-AL	6	30	90°			
TTF-6X36-90HB12-AL	6	36	90°			
TTF-6X06-90HB24-AL	6	6	90°	24		
TTF-6X09-90HB24-AL	6	9	90°			
TTF-6X12-90HB24-AL	6	12	90°			
TTF-6X18-90HB24-AL	6	18	90°			
TTF-6X24-90HB24-AL	6	24	90°			
TTF-6X30-90HB24-AL	6	30	90°			
TTF-6X36-90HB24-AL	6	36	90°			
TTF-6X06-90HB36-AL	6	6	90°	36		
TTF-6X09-90HB36-AL	6	9	90°			
TTF-6X12-90HB36-AL	6	12	90°			
TTF-6X18-90HB36-AL	6	18	90°			
TTF-6X24-90HB36-AL	6	24	90°			
TTF-6X30-90HB36-AL	6	30	90°			
TTF-6X36-90HB36-AL	6	36	90°			



SECTION VIEW

**TTF - 6 X 06 - 90 HB 12 - AL**

SERIES  
TTF = TOUGHTray FITTING

NOMINAL HEIGHT (H)  
6 = 6"

NOMINAL WIDTH (W)  
06 = 6"  
09 = 9"  
12 = 12"  
18 = 18"  
24 = 24"  
30 = 30"  
36 = 36"

ANGLE  
90 = 90°

TYPE  
HB = HORIZONTAL BEND


RADIUS (R)  
12 = 12"  
24 = 24"  
36 = 36"

MATERIAL  
AL = ALUMINUM

**PATENT PENDING**

**NOTES:**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
 <b>CT INNOVATIONS</b>		TITLE: <b>6" HEIGHT TTF SERIES 90° HORIZONTAL BEND 12", 24" &amp; 36" RADIUS</b>	
		DRAWN BY/DATE: LW 14MAY2024	SIZE: <b>B</b>
APPROVED BY/DATE: JDG 04MAY2024		SCALE: <b>NTS</b>	CAD FILE NAME: 90deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 8:34:54 PM
			SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

6

5



4


3

2



1

**HARDWARE INCLUDED:**

-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT




PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-4X06-30HB12-AL	4	6	30°	12		
TTF-4X09-30HB12-AL	4	9	30°			
TTF-4X12-30HB12-AL	4	12	30°			
TTF-4X18-30HB12-AL	4	18	30°			
TTF-4X24-30HB12-AL	4	24	30°			
TTF-4X30-30HB12-AL	4	30	30°			
TTF-4X36-30HB12-AL	4	36	30°			
TTF-4X06-30HB24-AL	4	6	30°	24		
TTF-4X09-30HB24-AL	4	9	30°			
TTF-4X12-30HB24-AL	4	12	30°			
TTF-4X18-30HB24-AL	4	18	30°			
TTF-4X24-30HB24-AL	4	24	30°			
TTF-4X30-30HB24-AL	4	30	30°			
TTF-4X36-30HB24-AL	4	36	30°			
TTF-4X06-30HB36-AL	4	6	30°	36		
TTF-4X09-30HB36-AL	4	9	30°			
TTF-4X12-30HB36-AL	4	12	30°			
TTF-4X18-30HB36-AL	4	18	30°			
TTF-4X24-30HB36-AL	4	24	30°			
TTF-4X30-30HB36-AL	4	30	30°			
TTF-4X36-30HB36-AL	4	36	30°			



SECTION VIEW

**PATENT PENDING**

- NOTES:**
- DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - ALL DIMENSIONS SHOWN ARE NOMINAL.
  - CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
 <b>CT INNOVATIONS</b>		<b>TITLE:</b> <b>4" HEIGHT</b> <b>TTF SERIES 30° HORIZONTAL BEND</b> <b>12", 24" &amp; 36" RADIUS</b>	
DRAWN BY/DATE: LW 26JUN2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46996</b>	REV: <b>C</b>
APPROVED BY/DATE: JDG 28APR2023	SCALE: <b>NTS</b>	CAD FILE NAME: 30deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 8:34:44 PM	SHEET: <b>1 OF 1</b>

6

5

4

3

2

1

F

F

E

E

D

D

C

C



B


B

A


A

**HARDWARE INCLUDED:**


-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



**TTF - 4 X 06 - 45 HB 12 - AL**



PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-4X06-45HB12-AL	4	6	45°	12		
TTF-4X09-45HB12-AL	4	9	45°			
TTF-4X12-45HB12-AL	4	12	45°			
TTF-4X18-45HB12-AL	4	18	45°			
TTF-4X24-45HB12-AL	4	24	45°			
TTF-4X30-45HB12-AL	4	30	45°			
TTF-4X36-45HB12-AL	4	36	45°			
TTF-4X06-45HB24-AL	4	6	45°	24		
TTF-4X09-45HB24-AL	4	9	45°			
TTF-4X12-45HB24-AL	4	12	45°			
TTF-4X18-45HB24-AL	4	18	45°			
TTF-4X24-45HB24-AL	4	24	45°			
TTF-4X30-45HB24-AL	4	30	45°			
TTF-4X36-45HB24-AL	4	36	45°			
TTF-4X06-45HB36-AL	4	6	45°	36		
TTF-4X09-45HB36-AL	4	9	45°			
TTF-4X12-45HB36-AL	4	12	45°			
TTF-4X18-45HB36-AL	4	18	45°			
TTF-4X24-45HB36-AL	4	24	45°			
TTF-4X30-45HB36-AL	4	30	45°			
TTF-4X36-45HB36-AL	4	36	45°			




SECTION VIEW

**PATENT PENDING**

**NOTES:**

- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
- 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
- 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

<small>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.</small>			
 <b>CT INNOVATIONS</b>		<b>TITLE:</b> <b>4" HEIGHT</b> <b>TTF SERIES 45° HORIZONTAL BEND</b> <b>12", 24" &amp; 36" RADIUS</b>	
DRAWN BY/DATE: LW 14MAY2024		SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46997</b>
APPROVED BY/DATE: JDG 28APR2023		SCALE: <b>NTS</b>	REV: <b>C</b> SHEET: <b>1 OF 1</b>
<small>CAD FILE NAME: 45deg HB 24R</small> <small>CAD SAVE DATE: Tuesday, May 14, 2024 8:22:53 PM</small>			

6

5



4


3

2

1

**HARDWARE INCLUDED:**

-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



**TTF - 4 X 06 - 60 HB 12 - AL**

SERIES  
TTF = TOUGHTray  
FITTING

NOMINAL  
HEIGHT (H)  
4 = 4"

NOMINAL  
WIDTH (W)  
06 = 6"  
09 = 9"  
12 = 12"  
18 = 18"  
24 = 24"  
30 = 30"  
36 = 36"


ANGLE  
60 = 60°

TYPE  
HB =  
HORIZONTAL  
BEND

RADIUS (R)  
12 = 12"  
24 = 24"  
36 = 36"

MATERIAL  
AL =  
ALUMINUM

PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-4X06-60HB12-AL	4	6	60°	12		
TTF-4X09-60HB12-AL	4	9	60°			
TTF-4X12-60HB12-AL	4	12	60°			
TTF-4X18-60HB12-AL	4	18	60°			
TTF-4X24-60HB12-AL	4	24	60°			
TTF-4X30-60HB12-AL	4	30	60°			
TTF-4X36-60HB12-AL	4	36	60°			
TTF-4X06-60HB24-AL	4	6	60°	24		
TTF-4X09-60HB24-AL	4	9	60°			
TTF-4X12-60HB24-AL	4	12	60°			
TTF-4X18-60HB24-AL	4	18	60°			
TTF-4X24-60HB24-AL	4	24	60°			
TTF-4X30-60HB24-AL	4	30	60°			
TTF-4X36-60HB24-AL	4	36	60°			
TTF-4X06-60HB36-AL	4	6	60°	36		
TTF-4X09-60HB36-AL	4	9	60°			
TTF-4X12-60HB36-AL	4	12	60°			
TTF-4X18-60HB36-AL	4	18	60°			
TTF-4X24-60HB36-AL	4	24	60°			
TTF-4X30-60HB36-AL	4	30	60°			
TTF-4X36-60HB36-AL	4	36	60°			




SECTION VIEW

**PATENT PENDING**

- NOTES:**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.



**CT INNOVATIONS**

TITLE:

**4" HEIGHT  
TTF SERIES 60° HORIZONTAL BEND  
12", 24" & 36" RADIUS**

DRAWN BY/DATE: LW 14MAY2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46998</b>	REV: <b>C</b>
APPROVED BY/DATE: JDG 28APR2023	SCALE: <b>NTS</b>	CAD FILE NAME: 60deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 8:28:42 PM	SHEET: <b>1 OF 1</b>

6

5

4



3


2

1





**HARDWARE INCLUDED:**

-  - (8EA) TA38SNCB300-S6  
3/8 X 3.0" SQUARE NECK CARRIAGE BOLT
-  - (8EA) TA38FNHX-S6  
3/8 SERRATED FLANGE HEX NUT



PART NO.	NOM. HEIGHT (in)	INSIDE WIDTH (in)	ANGLE	RADIUS (in)	CUSTOMER IDENT CODE	CUSTOMER PO ITEM NO.
TTF-4X06-90HB12-AL	4	6	90°	12		
TTF-4X09-90HB12-AL	4	9	90°			
TTF-4X12-90HB12-AL	4	12	90°			
TTF-4X18-90HB12-AL	4	18	90°			
TTF-4X24-90HB12-AL	4	24	90°			
TTF-4X30-90HB12-AL	4	30	90°			
TTF-4X36-90HB12-AL	4	36	90°			
TTF-4X06-90HB24-AL	4	6	90°	24		
TTF-4X09-90HB24-AL	4	9	90°			
TTF-4X12-90HB24-AL	4	12	90°			
TTF-4X18-90HB24-AL	4	18	90°			
TTF-4X24-90HB24-AL	4	24	90°			
TTF-4X30-90HB24-AL	4	30	90°			
TTF-4X36-90HB24-AL	4	36	90°			
TTF-4X06-90HB36-AL	4	6	90°	36		
TTF-4X09-90HB36-AL	4	9	90°			
TTF-4X12-90HB36-AL	4	12	90°			
TTF-4X18-90HB36-AL	4	18	90°			
TTF-4X24-90HB36-AL	4	24	90°			
TTF-4X30-90HB36-AL	4	30	90°			
TTF-4X36-90HB36-AL	4	36	90°			

**TTF - 4 X 06 - 90 HB 12 - AL**




SECTION VIEW

- NOTES:**
- 1) DIMENSIONS SHOWN ARE IN INCHES UNLESS OTHERWISE NOTED.
  - 2) ALL DIMENSIONS SHOWN ARE NOMINAL.
  - 3) CONTACT CT INNOVATIONS FOR OTHER SIZE OPTIONS.

**PATENT PENDING**

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CT INNOVATIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CT INNOVATIONS IS PROHIBITED.

	TITLE: <b>4" HEIGHT TTF SERIES 90° HORIZONTAL BEND 12", 24" &amp; 36" RADIUS</b>		
	DRAWN BY/DATE: LW 14MAY2024	SIZE: <b>B</b>	DWG. NO.: <b>CTI-S46999</b>
APPROVED BY/DATE: JDG 28APR2023	SCALE: <b>NTS</b>	CAD FILE NAME: 90deg HB 24R CAD SAVE DATE: Tuesday, May 14, 2024 8:34:18 PM	SHEET: <b>1 OF 1</b>